TUSCALOOSA COUNTY COMMISSION MEETING

September 4, 2002

§

Ş

TUSCALOOSA COUNTY STATE OF ALABAMA

This being the date and hour to which the Tuscaloosa County Commission adjourned, the County Commission met pursuant to such adjournment with Probate Judge W. Hardy McCollum presiding as Chairman. The following members were present:

Mike Richardson Gary Youngblood Bobby Miller Reginald Murray

Commissioner Gary Youngblood moved, seconded by Commissioner Bobby Miller, the County Commission voted unanimously to waive the fifty foot right-of-way requirement for a section of Medders Road to facilitate improvement of said road.

Commissioner Reginald Murray moved, seconded by Commissioner Gary Youngblood, the County Commission voted unanimously to award the bid for earthwork and related construction on Hulsey Road and Bristol Drive to Tomlin Construction LLC. The Engineering Department elected to deduct Alternate 1 and Item 401A-001 for a net bid of \$88,622.94. The bids were opened August 28, 2002.

Commissioner Reginald Murray moved, seconded by Commissioner Gary Youngblood, the County Commission voted unanimously to award the bid for water relocation on Hulsey Road and Bristol Drive to Fairchild Construction. The bids were opened August 28, 2002.

Page 2

Commissioner Reginald Murray moved, seconded by Commissioner Bobby Miller, the County Commission voted unanimously to authorize County Attorney Robert Spence to proceed with legal action against AT&T to have AT&T lines moved on Hulsey Road to facilitate improving said road.

Commissioner Bobby Miller moved, seconded by Commissioner Gary Youngblood, the County Commission voted unanimously to authorize condemnation, if necessary, in order to acquire the necessary rights-of-way on Myers Road to facilitate improving said road.

Bids on the following items were opened and referred to the County Engineer for appropriate action:

HOT & COLD LAID ASPHALT PLANT MIX APAC-Alabama, Inc. S.T. Bunn Construction Co., Inc. West Alabama Asphalt, Inc.

Exhibit 9-1, Pages | 85-197

TRAFFIC STRIPING
Ozark Striping Co., Inc.
J.C. Cheek Sod & Erosion Contractor, Inc.

Exhibit 9-2, Pages 198-200

CRUSHED STONE Martin Marietta Aggregates

Exhibit 9-3, Pages 201-202

LIQUID ASPHALT CEMENT AND LIQUID EMULSIFIED ASPHALT Hunt Refining Company Ergon Asphalt & Emulsions, Inc.

Exhibit 9-4, Pages 203-205

HYDROSEEDING Whittemore Farms

Exhibit 9-5, Pages 206-208

STRUCTURAL CONCRETE
West Alabama Concrete, Inc.
Bama Concrete Products Co., Inc.

Exhibit 9-6, Pages 209-211

MOSQUITO CONTROL CHEMICAL Clarke Mosquito Control Products, Inc.

Exhibit 9-7, Pages 212-213

Commissioner Reginald Murray moved, seconded by Commissioner Bobby Miller, the County Commission voted three to one to authorize placing the Grant Program Manager, a non-civil service position in the Planning and Community Development Office, under the Retirement System of Alabama. Commissioner Mike Richardson cast the NAY vote.

Commissioner Reginald Murray moved, seconded by Commissioner Bobby Miller, the County Commission voted unanimously to lower the speed limit on Sipsey Valley Road in the area of Buhl Church of God and near the Pate Road intersection to 35 MPH.

There being no further business to come before the Tuscaloosa County Commission, the meeting adjourned to Wednesday, September 11, 2002.

W. Hardy McColum

Judge of Probate and Chairman Tuscaloosa County Commission

Mike Richardson

Commissioner - District I

Gary Youngblood

Commissioner - District II

Bobby Miller

Commissioner - District III

Reginald Murray

Commissioner - District IV

SEP 19 RETI

9-1

W. Hardy McCollum Chairman

ROBERT H. JOHNSTON CLERK



MEMBERS Mike Richardson Gary Youngblood Bobby Miller Reginald Murray

COUNTY COMMISSION

Tuscaloosa County Alabama
P.O. Box 20113 • 714 Greensboro Avenue
Tuscaloosa, Alabama 35402-0113
205-349-3870
August 22, 2002

NAME: AUG 23 Au

West Alabama Asphalt APAC Alabama, Inc. A.C. Jackson & Son Stripes Mallory Burkhalter Paving, Inc. S.T. Bunn Construction Co. Mac Nelson Construction

Gentlemen:

Tuscaloosa County will accept bids for "Hot and Cold Laid Asphalt Plant Mix" until 9:00 a.m., Wednesday, September 4, 2002. This material will be provided for the period from October 1, 2002, through September 30, 2003.

The attached specifications and bid sheets were compiled by the County Engineering Department. Direct all inquiries in regard to this bid to County Engineer Bobby Hagler at telephone number (205)345-6600.

Bids can be mailed to: Tuscaloosa County Commission, P.O. Box 20113, Tuscaloosa, AL 35402, or brought to the County Clerk's Office in the Tuscaloosa County Courthouse prior to 9:00 a.m., Wednesday, September 4, 2002.

To be more confident that your bid will be properly processed, please return your bid in the "BID" envelope provided, or use the "BID" envelope to address your bid package.

A word to the wise - MAIL EARLY - overnight mail, including Airborne Express, Federal Express, etc. does not always arrive by 9:00~a.m. the next day.

Sincerely,

Robert H. Johnston

Clerk

RHJ:1ks

enc1.

copy: Engineering

fiľe

E: 9-1

F.O.B. ANY DESTINATION IN COUNTY PER TON BY VENDORS TRUCKS NORTH OF BLACK WARRIOR RIVER

ITEM/DESCRIPTION	QUANTITY (TONS)	UNIT PRICE (PER TON)	BID AMOUNT
429A Bituminous Concrete Asphalt (Wearing	27,000	(2.22.2.02.7)	
Surface), ½" Maximum Aggregate Size, ESAL Range		32.50	877500.00
429A Bituminous Concrete Asphalt (Patching), ½" Maximum Aggregate Size, ESAL Range C	150	35,50	
429A Bituminous Concrete Asphalt (Leveling), ½" Maximum Aggregate Size, ESAL Range C	36,000	32,50	
429A Bituminous Concrete Asphalt (Widening), ½" Maximum Aggregate Size, ESAL Range C	1,000	35,50	35500.00
416A Bituminous Concrete Asphalt Mix 1,4	5,000	32.50	162 500,00

P.O. Box 818 Birmingham, AL 35201 APAC-Alabama, Inc.

TOTAL 2, 250, 825,00

COMPANY

M. S. Watkins, V. P.
SIGNATURE

8/26/02
DATE

Ex 9-1

took 937 186

5/9

F.O.B. VENDOR'S PLANT NORTH OF BLACK WARRIOR RIVER

ITEM/DESCRIPTION	QUANTITY (TONS)	UNIT PRICE (PER TON)	BID AMOUNT
429A Bituminous Concrete Asphalt (Wearing Surface), ½" Maximum Aggregate Size, ESAL Range	250	No Bid	
C 429A Bituminous Concrete Asphalt (Patching), ½" Maximum Aggregate Size, ESAL Range C	50	V	
429A Bituminous Concrete Asphalt (Leveling), ½" Maximum Aggregate Size, ESAL Range C	50	~	
429A Bituminous Concrete Asphalt (Widening), ½" Maximum Aggregate Size, ESAL Range C	50	~	
416A Bituminous Concrete Asphalt Mix 1,4	50		

TOTAL No Bid

APAC-Alabama, Inc.

P.O. Box 818 Birmingham, AL 35201

COMPANY

SIGNATURE

8/26/02
DATE

Fx9-1

F.O.B. ANY DESTINATION IN COUNTY PER TON BY VENDORS TRUCKS SOUTH OF BLACK WARRIOR RIVER

ITEM/DESCRIPTION	QUANTITY (TONS)	UNIT PRICE (PER TON)	BID AMOUNT
429A Bituminous Concrete Asphalt (Wearing Surface), ½" Maximum Aggregate Size, ESAL Range	21,000	32,50	682,500,00
429A Bituminous Concrete Asphalt (Patching), ½" Maximum Aggregate Size, ESAL Range C	150	35,50	5325,00
429A Bituminous Concrete Asphalt (Leveling), ½" Maximum Aggregate Size, ESAL Range C	27,000	32,50	877500,00
429A Bituminous Concrete Asphalt (Widening), ½" Maximum Aggregate Size, ESAL Range C	550	35.50	19525,00
416A Bituminous Concrete Asphalt Mix 1,4	5,000	32,50	162500,00

APAC-Alabama, Inc.

TOTAL 1,747, 350.00

P.O. Box 818 Birmingham, AL 35201

COMPANY

W. S. Watkins, V. P.
SIGNATURE

8/26/02
DATE

Ex 9-1

* j. C. . .

F.O.B. VENDOR'S PLANT SOUTH OF BLACK WARRIOR RIVER

ITEM/DESCRIPTION	QUANTITY (TONS)	UNIT PRICE (PER TON)	BID AMOUNT
429A Bituminous Concrete Asphalt (Wearing Surface), ½" Maximum Aggregate Size, ESAL Range	250	26.50	6625.DD
429A Bituminous Concrete Asphalt (Patching), ½" Maximum Aggregate Size, ESAL Range C	.50	26.50	1325.00
429A Bituminous Concrete Asphalt (Leveling), ½" Maximum Aggregate Size, ESAL Range C	50	26.50	1325.00
429A Bituminous Concrete Asphalt (Widening), ½" Maximum Aggregate Size, ESAL Range C	50	26,50	1325,00
416A Bituminous Concrete Asphalt Mix 1,4	50	26,50	1325,00

TOTAL 11 925,00

APAC-Alabama, Inc.

न्द्रेश्य भि

P.O. Box 818 Birmingham, AL 35201

COMPANY

W.S. Watkins, V.P.
SIGNATURE

8/26/02
DATE

-X9-1

F.O.B. ANY DESTINATION IN COUNTY PER TON BY VENDORS TRUCKS NORTH OF BLACK WARRIOR RIVER

ITEM/DESCRIPTION	QUANTITY	UNIT PRICE	BID AMOUNT
	(TONS)	(PER TON)	
429A Bituminous Concrete Asphalt (Wearing	27,000		
Surface), 1/2" Maximum Aggregate Size, ESAL Range			
C		37.15	848,050.00
429A Bituminous Concrete Asphalt (Patching), 1/2"	150		
Maximum Aggregate Size, ESAL Range C	•	33.15	4,833,50
429A Bituminous Concrete Asphalt (Leveling), 1/2"	36,000	" · · · · · · · · · · · · · · · · · · ·	
Maximum Aggregate Size, ESAL Range C		32.15	1,157,400.00
429A Bituminous Concrete Asphalt (Widening), 1/2"	1,000		
Maximum Aggregate Size, ESAL Range C		37,15	37,150.00
416A Bituminous Concrete Asphalt Mix 1,4	5,000		
		37.15	160.750,00

TOTAL 3,333,173.50

5T BUNN LONST. Co., INC

SIGNATURE

DATE /

5/9

ITEM/DESCRIPTION	QUANTITY (TONS)	UNIT PRICE (PER TON)	BID AMOUNT
429A Bituminous Concrete Asphalt (Wearing	250		
Surface), ½" Maximum Aggregate Size, ESAL Range			
C		No Bio	
429A Bituminous Concrete Asphalt (Patching), 1/2"	50		
Maximum Aggregate Size, ESAL Range C		N. B. O	
429A Bituminous Concrete Asphalt (Leveling), ½"	3 0		
Maximum Aggregate Size, ESAL Range C		No Bio	
429A Bituminous Concrete Asphalt (Widening), 1/2"	50		
Maximum Aggregate Size, ESAL Range C		N. B.O	
416A Bituminous Concrete Asphalt Mix 1,4	50	No B.0	

TOTAL No Bio

5T BUNG CONST. CO., INC

 $\frac{-\frac{1}{4}\log n}{1} \, \eta_{\rm c}$

SIGNATURE

9-4-6

DATE

F.O.B. ANY DESTINATION IN COUNTY PER TON BY VENDORS TRUCKS SOUTH OF BLACK WARRIOR RIVER

ITEM/DESCRIPTION	QUANTITY	UNIT PRICE	BID AMOUNT
	(TONS)	(PER TON)	
429A Bituminous Concrete Asphalt (Wearing	21,000		
Surface), 1/2" Maximum Aggregate Size, ESAL Range			
C	•	37,15	475, 150,00
429A Bituminous Concrete Asphalt (Patching), 1/2"	1 50		
Maximum Aggregate Size, ESAL Range C		32,15	4,833,50
429A Bituminous Concrete Asphalt (Leveling), ½"	27,000		
Maximum Aggregate Size, ESAL Range C		32,15	868,050,00
429A Bituminous Concrete Asphalt (Widening), 1/2"	550		
Maximum Aggregate Size, ESAL Range C		37.15	17,487,50
416A Bituminous Concrete Asphalt Mix 1,4	5,000		1 3 1 1 3 3
		37.15	160,750.00

TOTAL 1,726,455,00

P. 1

ST/BUNN CONST. CO., IN

 $\mathcal{A}(\mathcal{S}_{k}) \cong \mathcal{S}_{k},$

SIGNATURE

9-4-02

DATE

Ex 9-1

192 037 192

F.O.B. VENDOR'S PLANT SOUTH OF BLACK WARRIOR RIVER

137 193

ITEM/DESCRIPTION	QUANTITY (TONS)	UNIT PRICE (PER TON)	BID AMOUNT
429A Bituminous Concrete Asphalt (Wearing Surface), ½" Maximum Aggregate Size, ESAL Range	250	15.88	6470,00
429A Bituminous Concrete Asphalt (Patching), ½" Maximum Aggregate Size, ESAL Range C	.50	75.88	1794.00
429A Bituminous Concrete Asphalt (Leveling), ½" Maximum Aggregate Size, ESAL Range C	50	35.88	1794.00
429A Bituminous Concrete Asphalt (Widening), ½" Maximum Aggregate Size, ESAL Range C	50	75.88	1794,00
416A Bituminous Concrete Asphalt Mix 1,4	50	25.88	1794.00

TOTAL 11,646,00

ST BUNN CONET. CO., INC

SIGNATURE

9-4.02

DAIL

F.O.B. ANY DESTINATION IN COUNTY PER TON BY VENDORS TRUCKS NORTH OF BLACK WARRIOR RIVER

ITEM/DESCRIPTION	QUANTITY (TONS)	UNIT PRICE (PER TON)	BID AMOUNT
429A Bituminous Concrete Asphalt (Wearing Surface), ½" Maximum Aggregate Size, ESAL Range C	27,000	32.05	\$ 865,350.00
429A Bituminous Concrete Asphalt (Patching), ½" Maximum Aggregate Size, ESAL Range C	150	32.05	\$ 4,807.50
429A Bituminous Concrete Asphalt (Leveling), ½" Maximum Aggregate Size, ESAL Range C	36,000	32.05	\$ 1,153,800.00
429A Bituminous Concrete Asphalt (Widening), ½" Maximum Aggregate Size, ESAL Range C	1,000	32.05	\$ 32,050.00
416A Bituminous Concrete Asphalt Mix 1,4	5,000	32.05	\$ 160,250.00

TOTAL \$ 2,216,257.50

WEST ALABAMA ASPHALT INC

COMPANY

SIGNATURE

09/04/02

DATE

137 195

F.O.B. VENDOR'S PLANT NORTH OF BLACK WARRIOR RIVER

ITEM/DESCRIPTION	QUANTITY (TONS)	UNIT PRICE (PER TON)	BID AMOUNT
429A Bituminous Concrete Asphalt (Wearing Surface), ½" Maximum Aggregate Size, ESAL Range C	250	30.05	\$ 7,512.50
429A Bituminous Concrete Asphalt (Patching), ½" Maximum Aggregate Size, ESAL Range C	50	30.05	\$ 1,502.50
429A Bituminous Concrete Asphalt (Leveling), ½" Maximum Aggregate Size, ESAL Range C	50	30.05	\$ 1,502.50
429A Bituminous Concrete Asphalt (Widening), ½" Maximum Aggregate Size, ESAL Range C	50	30.05	\$ 1,502.50
416A Bituminous Concrete Asphalt Mix 1,4	50	30.05	\$ 1,502.50

TOTAL \$ 13,522.50

WEST ALABAMA ASPHALT INC

COMPANY

SIGNATURE

09/04/02

DATE

F.O.B. ANY DESTINATION IN COUNTY PER TON BY VENDORS TRUCKS SOUTH OF BLACK WARRIOR RIVER

ITEM/DESCRIPTION	QUANTITY (TONS)	UNIT PRICE (PER TON)	BID AMOUNT
429A Bituminous Concrete Asphalt (Wearing Surface), ½" Maximum Aggregate Size, ESAL Range C	21,000	33.00	\$ 693,000.00
429A Bituminous Concrete Asphalt (Patching), ½" Maximum Aggregate Size, ESAL Range C	1 50	33.00	\$ 4,950.00
429A Bituminous Concrete Asphalt (Leveling), ½" Maximum Aggregate Size, ESAL Range C	27,000	33.00	\$ 891,000.00
429A Bituminous Concrete Asphalt (Widening), ½" Maximum Aggregate Size, ESAL Range C	550	33.00	\$ 18,150.00
416A Bituminous Concrete Asphalt Mix 1,4	5,000	33.00	\$ 165,000.00

سامي	TOTAL	\$ 1,772,100.00	

 $\tilde{\tau}_{i}(y_{j+1})$

WEST ALABAMA ASPHALT INC
COMPANY

WAR ASPHALT INC

SIGNATURE

 $\frac{-\frac{1}{2}}{i} \cdot \hat{\phi}_{i} f_{i}^{(i)} f_{i},$

09/04/02

DATE

9-1

196

7/9

F.O.B. VENDOR'S PLANT SOUTH OF BLACK WARRIOR RIVER

ITEM/DESCRIPTION	QUANTITY (TONS)	UNIT PRICE (PER TON)	BID AMOUNT
429A Bituminous Concrete Asphalt (Wearing	250		
Surface), ½" Maximum Aggregate Size, ESAL Range		NO BID	NO BID
429A Bituminous Concrete Asphalt (Patching), ½" Maximum Aggregate Size, ESAL Range C	.50	NO BID	NO BID
429A Bituminous Concrete Asphalt (Leveling), ½" Maximum Aggregate Size, ESAL Range C	50	NO BID	NO BID
429A Bituminous Concrete Asphalt (Widening), ½" Maximum Aggregate Size, ESAL Range C	50	NO BID	NO BID
416A Bituminous Concrete Asphalt Mix 1,4	50	NO BID	NO BID

TOTAL NO BID

WEST ALABAMA ASPHALT INC

COMPANY

SIGNATURE

09/04/02

DATE

W. Hardy McCollum Chairman

ROBERT H. JOHNSTON CLERK



MEMBERS
MIKE RICHARDSON
GARY YOUNGBLOOD
BOBBY MILLER
REGINALD MURRAY

COUNTY COMMISSION

Tuscaloosa County Alabama
P.O. Box 20113 • 714 Greensboro Avenue
Tuscaloosa, Alabama 35402-0113
205-349-3870
August 22, 2002

Ozark Striping Co. Inc. Earnest McCullough Shelby Contracting E-Z Liner Industries PM Laser Striping Cheek, Inc. Stripes, Inc. Marcato & Son, Inc.

Gentlemen:

The Tuscaloosa County Commission will accept bids for traffic striping on various roads throughout Tuscaloosa County until 9:00 a.m., Wednesday, September 4, 2002.

The attached bid submission form and specifications were compiled by the Tuscaloosa County Engineering Department. Direct all inquiries in regard to this bid to County Engineer Bobby Hagler at telephone number (205)345-6600.

Bids can be mailed to: Tuscaloosa County Commission, P.O. Box 20113, Tuscaloosa, AL 35402, or brought to the County Clerk's Office in the Tuscaloosa County Courthouse prior to 9:00 a.m., Wednesday, September 4, 2002.

To be more confident that your bid will be properly processed, please use the "BID" envelope provided, or use the "BID" envelope to address your bid package. Submit your bid on the bid form provided.

A word to the wise - MAIL EARLY - overnight mail, including Airborne Express, Federal Express, etc. does not always arrive by 9:00 a.m. the next day.

Sincerely,

Robert H. Johnston Clerk

RHJ:lks

Bobles

enc1.

copy: Engineering

file

9-2

37 198

BID SUBMISSION FORM AND SPECIFICATIONS TRAFFIC STRIPING

The bidder agrees to perform all of the work as described herein and in the specifications and/or plans, as applicable, for the following unit prices:

QUANTITY	UNIT	ITEM	UNIT PRICE	TOTAL PRICE
150	MILE	Solid White, Class 1, Type A Traffic Stripe 701A	310.00	46500.00
150	MILE	Broken Yellow Class 1, Type A, Traffic Stripe 701A	165.00	24750.00
400	MILE	Solid Yellow, Class 1, Type A Traffic Stripe 701A	300.00	120000.00
300	MILE	Broken Yellow, Class 2, Type A Traffic Stripe 701A	540.00	162000.00
200	MILE	Solid Yellow, Class 2, Type A Traffic Stripe	1080.00	216000.00
3800	LF	701B Dotted White, Class 1, Type A Traffic Stripe 701B	.42	1596.00
350	MILE	Broken Temporary Traffic Stripe 701C	300.00	105000.00
350	MILE	Solid Temporary Traffic Stripe 703C	340.00	119000.00
3300	SQ FT	Traffic Control Markings, Class 1, Type A 703A	1.25	4125.00
3300	SQ FT	Traffic Control Legends Class 1, Type A 703B-002	1.45	4785.00
3300	SQ FT	Traffic Control Markings Class 2, Type A 703A	2.10	6930.00
3300	SQ FT	Traffic Control Legends Class 2, Type A 703B	3.10	_10230.00
2500	SQ FT	Temporary Traffic Control Markings 703D	1.15	2875.00
2500	_ SQ FT	Temporary Traffic Control Legends 703E	1.15	2875.00
7500	EACH	Pavement Markers, Class A, Type 1B 705A	3.90	29250.00
7500	EACH	Pavement Markers, Class A, Type 2D 705A	4.00	30000.00

The above stated Unit prices shall include all labor, materials, overhead, profit, insurance, testing, inspection charges, engineering, etc. to cover the completion of the work as required. All construction, materials, and testing shall conform to the Alabama Department of Transportation Standard Specifications for Highway Construction 2002 Edition.

OZARK STRIPING COMPANY, INC.	AUGUST 29,2002
FIRM	DATE

BID SUBMISSION FORM AND SPECIFICATIONS TRAFFIC STRIPING

The bidder agrees to perform all of the work as described herein and in the specifications and/or plans, as applicable, for the following unit prices:

QUANTITY	UNIT	ITEM	UNIT PRICE	TOTAL PRICE
150	MILE	Solid White, Class 1, Type A Traffic Stripe	400.00	60,000.00
150	MILE	Broken Yellow Class 1, Type A, Traffic Stripe 701A	275.00	41,250.00
400	MILE	Solid Yellow, Class 1, Type A Traffic Stripe 701A	400.00	160,000.00
300	MILE	Broken Yellow, Class 2, Type A Traffic Stripe 701A	500.00	150,000.00
200	MILE	Solid Yellow, Class 2, Type A Traffic Stripe 701B	1,000.00	200,000.00
3800	LF	Dotted White, Class 1, Type A Traffic Stripe 701B	30	1,140.00
350	MILE	Broken Temporary Traffic Stripe 701C	500.00	175,000.00
350	MILE	Solid Temporary Traffic Stripe 703C	700.00	245,000.00
3300	SQ FT	Traffic Control Markings, Class 1, Type A 703A	1,25	4,125.00
3300	SQ FT	Traffic Control Legends Class 1, Type A 703B-002	3.00	9,900.00
3300	SQ FT	Traffic Control Markings Class 2, Type A 703A	2.00	6,600.00
3300	SQ FT	Traffic Control Legends Class 2, Type A 703B	5.00	16,500.00
2500	SQ FT	Temporary Traffic Control Markings 703D	1.25	3,125.00
2500	SQ FT	Temporary Traffic Control Legends 703E	3.00	7,500.00
7500	EACH	Pavement Markers, Class A, Type 1B 705A	5.00	37,500.00
7500	EACH	Pavement Markers, Class A, Type 2D 705A	5.00	37,500.00

The above stated Unit prices shall include all labor, materials, overhead, profit, insurance, testing, inspection charges, engineering, etc. to cover the completion of the work as required. All construction, materials, and testing shall conform to the Alabama Department of Transportation Standard Specifications for Highway Construction 2002 Edition.

J.C.Cheek Sod & Erosion Contractor, Inc.
FIRM

August 30, 2002
DATE

9-3

W. HARDY McCOLLUM CHAIRMAN

ROBERT H. JOHNSTON CLERK



MEMBERS
MIKE RICHARDSON
GARY YOUNGBLOOD
BOBBY MILLER
REGINALD MURRAY

COUNTY COMMISSION

Tuscaloosa County Alabama
P.O. Box 20113 • 714 Greensboro Avenue
Tuscaloosa, Alabama 35402-0113
205-349-3870
August 23, 2002

Martin Marietta Aggregates Vulcan Materials Company Southeast Materials Corp. SRM Aggregates

Gentlemen:

Tuscaloosa County will accept bids on crushed stone until 9:00 a.m., Wednesday, September 4, 2002. Attached are specifications compiled by the Engineering Department. The sizes and approximate quantities are listed on the bid sheet.

Bids can be mailed to: Tuscaloosa County Commission, P.O. Box 20113, Tuscaloosa, AL 35402, or brought to the County Clerk's Office in the Tuscaloosa County Courthouse prior to 9:00 a.m., Wednesday, September 4, 2002.

Direct all inquiries in regard to this bid to County Engineer Bobby Hagler at telephone number (205)345-6600.

To be more confident that your bid will be properly processed, please return your bid in the "BID" envelope provided, or use the "BID" envelope to address your bid package. Please use the bid sheet provided.

A word to the wise - MAIL EARLY - overnight mail, including Airborne Express, Federal Express, etc. does not always arrive by 9:00 a.m. the next day.

Sincerely,

Boby Robert H. Johnston

Clerk

RHJ; 1ks

encl.

copy: Engineering

fiľe

ALL Bidders Must Use Our Bid Form and Show on Envelope
the Bid Number and Opening Date.

Each numbered bid must be in separate envelope with Bid
Number and Opening Date on outside of each envelope.

Original of this sheet MUST accompany ALL BIDS.

MAKE COPY FOR YOUR FILES

F.O.B. ANY DESTINATION IN COUNTY PER TON BY VENDORS TRUCKS

ГТЕМ	QUANTITY	UNIT PRICE	BID	UNIT PRICE
	(TONS)	F.O.B.	AMOUNT	CREDIT ON
		COUNTYWIDE		FREIGHT FOR
i			 	PICKUP BY
				COUNTY
AL #1-#610	40,000	\$ 9,33	B 373, 200	3, 25
AL #7-#10	30,000	# 9, 88	1 296,400	3,25
CL. 1 RIPRAP	500	#11.38	# 5690	4,25
CL. 2 RIPRAP	5,000	\$ 11.38	#56,900	4,25
3/4"	40,000	#9 28		- 25
CRUSHER RUN		#9,28	# 371,200	3,25
1-1/2"	500	# 9 28	1 .	3, 25
CRUSHER RUN		4 7 ₁	# 4640	3,
CRUSHED AGGREGATE	2,500	\$ 9 28	\$23,200	3, 25°
BASE, TYPE B	•	" /\	10 x 3, x 00	ا ^ی ،

TOTAL \$ 1,131,230

ALL BIDDERS MUST USE OUR BID FORM AND SHOW ON ENVELOPE THE BID NUMBER AND OPENING DATE. EACH NUMBERED BID MUST BE IN SEPARATE ENVELOPE WITH BID NUMBER AND OPENING DATE ON OUTSIDE OF EACH ENVELOPE. ORIGINAL OF THIS SHEET MUST ACCOMPANY ALL BIDS. MAKE COPY FOR YOUR FILES

The Bidder understands that the County reserves the right to reject any and all bids and to waive any informalities involved in the bidding process. The quantities listed above are approximate only. There will be no contract adjustments in the unit prices for any increase or decrease in the unit quantities. The Bidder agrees that this bid shall be good for a period of one (1) year from the date of award.

FIRM

9/3/02 DATE

F:users\allan\bids and budget info\county contracts\2002\crushed stone 2002-03

W. HARDY McCollum CHAIRMAN

ROBERT H. JOHNSTON CLERK



MEMBERS
MIKE RICHARDSON
GARY YOUNGBLOOD
BOBBY MILLER
REGINALD MURRAY

COUNTY COMMISSION

Tuscaloosa County Alabama
P.O. Box 20113 • 714 Greensboro Avenue
Tuscaloosa, Alabama 35402-0113
205-349-3870
August 23, 2002

Hunt Refining Company Vulcan Asphalt Warrior Asphalt Refining Corp. Ergon Asphalt & Emulsion

Gentlemen:

Tuscaloosa County will accept bids for "Liquid Asphalt Cement and Liquid Emulsified Asphalt" to be provided for the period from October 1, 2002, through September 30, 2003, until 9:00 a.m., Wednesday, September 4, 2002

Enclosed are specifications compiled by the Tuscaloosa County Engineering Department. Direct all inquiries in regard to this bid to County Engineer Bobby Hagler at telephone number (205)345-6600.

Bids can be mailed to: Tuscaloosa County Commission, P.O. Box 20113, Tuscaloosa, AL 35402, or brought to the County Clerk's Office in the Tuscaloosa County Courthouse prior to 9:00 a.m., Wednesday, September 4, 2002.

To be more confident that your bid will be properly processed, please return your bid in the "BID" envelope provided, or use the "BID" envelope to address your bid package. Use the bid sheet provided.

A word to the wise - MAIL EARLY - overnight mail, including Airborne Express, Federal Express, etc. does not always arrive by 9:00 a.m. the next day.

Sincerely,

Robert H. Johnston

Clerk

RHJ:1ks

encl.

copy: Engineering

file

ITEM	QUANTITY (TONS)	UNIT PRICE F.O.B. COUNTYWIDE
AC-5 THROUGH AC-30	50	\$ 172.00
MC-70 THROUGH MC-3000	30	\$ 252.00
RC-70 THROUGH RC-3000	30	\$ 257.00
RS-2	30	NO BID
CRS-2	30	\$ 152.00
CRS-2H	50	\$ 152.00
CRS-2P	500	\$ 197.00
MP	30	NO BID
MP-1	30	NO BID
EMULSIFIED PETROLEUM RESIN	50	NO BID

F.O.B. VENDOR'S PLANT

ITEM	QUANTITY	UNIT PRICE
	(TONS)	F.O.B. VENDOR'S PLANT
AC-5 THROUGH	30	
AC-30		\$ 160.00
MC-70 THROUGH	30	
MC-3000		\$ 240.00
RC-70 THROUGH	30	
RC-3000		\$ 245.00
RS-2	30	
		NO BID
CRS-2	30	
		\$ 140.00
CRS-2H	30	A 110 00
		\$ 140.00
CRS-2P	3,000	
		\$ 185.00
MP	30	
		NO BID
MP-1	30	
		NO BID

HUNT REFINING COMPANY	8/30/02
FIRM	DATE

937. 204

9-4

tox 1137 ... 205

FROM : ERGON BIRMINGPORT

PHONE NO. : 436 3404

Aug. 26 2002 09:31AM P5

3/5

F.O.B. ANY DESTINATION IN COUNTY PER TON BY VENDOR'S TRUCKS

ITEM	QUANTTTY (TONS)	UNIT PRICE F.O.B. COUNTYWIDE
AC-5 THROUGH AC-30	50	No Bid
MC-70 THROUGH MC-3000	30	No Bid
RC-70 THROUGH RC-3000	30	No Bid
RS-2	30	No Bid
CRS-2	30	\$167.67/ton
CRS-2H	50	\$167.67/ton
CRS-2P	500	\$203.66/ton
MP	30	No Bid
MP-1	30	No Bid
EMULSIFIED PETROLEUM RESIN	50	No Bid

F.O.B. VENDOR'S PLANT

ITEM	QUANTITY (TONS)	UNIT PRICE F.O.B. VENDOR'S PLANT
AC-5 THROUGH AC-30	30	No Bid
MC-70 THROUGH MC-3000	30	No Bid
RC-70 THROUGH RC-3000	30	No Bid
RS-2	30	No Bid
CRS-2	30	\$153.85/ton
CRS-2H	30	\$153.85/ton
CRS-2P	3,000	\$203.66/ton
MP	30	No Bid
MP-I	30	No Bid

Ergon Asphalt & Emulsions, Inc. FIRM

August 27, 2002

DATE

W. HARDY McCOLLUM CHAIRMAN

ROBERT H. JOHNSTON CLERK



MEMBERS
MIKE RICHARDSON
GARY YOUNGBLOOD
BOBBY MILLER
REGINALD MURRAY

COUNTY COMMISSION

Tuscaloosa County Alabama
P.O. Box 20113 • 714 Greensboro Avenue
Tuscaloosa, Alabama 35402-0113
205-349-3870
August 22, 2002

Tuscaloosa Cooperative Grassworks, Inc. Buddy Jones Excavating Whittemore Farms Forestry Environmental Services Yellow Creek Farm

Gentlemen:

Tuscaloosa County will accept bids for hydroseeding along county roads for the period from October 1, 2002, through September 30, 2003, until 9:00 a.m., Wednesday, September 4, 2002.

Bids can be mailed to: Tuscaloosa County Commission, P.O. Box 20013, Tuscaloosa, AL 35402, or brought to the County Clerk's Office in the Tuscaloosa County Courthouse prior to 9:00 a.m., Wednesday, September 4, 2002.

Enclosed is the bid specification/bid submission form compiled by the County Engineering Department. Direct all inquiries in regard to this bid to County Engineer Bobby Hagler at telephone number (205)345-6600.

To be more confident that your bid will be properly processed, please return your bid in the "BID" envelope provided, or use the "BID" envelope to address your bid package. Tuscaloosa County cannot accept bids by telephone or fax machine.

A word to the wise - MAIL EARLY - overnight mail, including Airborne Express, Federal Express, etc. does not always arrive by 9:00 a.m. the next day.

Sincerely,

Robert H. Johnston

RHJ:1ks

encl.

copy: file

Engineering

9-5

206

BID SPECIFICATIONS FOR HYDRO-SEEDING & MULCHING

All materials required for hydro-seeding shall comply with the State of Alabama Department Of Transportation Standard Specifications for Highway Construction, 2002 Edition. Special attention is directed to Sections 656, 658 and 860 of the Specifications. Mix 2A and Mix 2AT as specified in Section 860.01(b) and Class A, Type 2 Mulching as specified in Section 656.01 and 860.03 in the Specifications shall be used for all hydro-seeding.

All seed, lime, fertilizer, mulch, and any other material required for hydro-seeding shall be provided by the contractor. The contractor shall obtain a purchase order from the Tuscaloosa County Engineering Department prior to beginning work. The contractor shall begin work with a five (5) days notice from the Tuscaloosa County Engineering Department, weather permitting.

All material testing, certifications, test reports, etc. as required by the Specifications shall be provided by the contractor to the Tuscaloosa County Engineering Department.

ITEM NO.	DESCRIPTION	BID QUANTITY	BID PRICE (PER ACRE)
656-A	MULCHING CLASS A, TYPE 2	200 Acres	375.00
658-A	HYDRO-SEEDING	500 Acres	760.00*

BY: Lenneth Ray Whittenso
FOR: Whittemore Farms
ADDRESS: 714 Bennett Road
Jasper, AL 35503
TELEPHONE: (205) 387-8549
DATE: 8-30-02

*There will be an additional \$ 100.00 per acre mobilization charge for orders of less than 5 acre

The Bidder understands that the County reserves the right to reject any and all bids and to waive any informalities involved in the bidding process. The quantities listed above are approximate only. There will be no contract adjustments in the unit prices for any increase or decrease in the unit quantities. The Bidder agrees that this bid shall be good for a period of one (1) year from the date of award. The Bidder agrees that all orders for work shall be completed within five (5) working days from placement of such order.

F:\users\allan\bids and budget info\county contracts\2002\hydroseeding 2002-03

ADDENDUM TO THE SPECIFICATIONS FOR HYDROSEEDING AND MULCHING

ADDENDUM NO. 1

The following correction is made to the bid specifications:

The statement "The Bidder agrees that all orders for work shall be completed within five (5) working days from placement of such order."

Should read "The Bidder agrees that work shall begin within five (5) working days from the placement of orders for work."

This addendum shall be made a part of the Bid Specifications and Contract.

9-6

W. HARDY McCollum CHAIRMAN

ROBERT H. JOHNSTON CLERK



MEMBERS
MIKE RICHARDSON
GARY YOUNGBLOOD
BOBBY MILLER
REGINALD MURRAY

COUNTY COMMISSION

Tuscaloosa County Alabama
P.O. Box 20113 • 714 Greensboro Avenue
Tuscaloosa, Alabama 35402-0113
205-349-3870
August 23, 2002

West Alabama Concrete, Inc. Bama Concrete Products Co., Inc. Kirkpatrick Concrete, Inc. Concrete Supply Tri-County Concrete Construction

Gentlemen:

Tuscaloosa County will accept bids until 9:00 a.m., Wednesday, September 4, 2002, for structural concrete to be used in constructing concrete structures for the period from October 1, 2002, through September 30, 2003.

The attached specifications and bid form were compiled by the County Engineering Department. Direct all inquiries in regard to this bid to County Engineer Bobby Hagler at telephone number (205)345-6600.

Bids can be mailed to: Tuscaloosa County Commission, P.O. Box 20113, Tuscaloosa, AL 35402, or brought to the County Clerk's Office in the Tuscaloosa County Courthouse prior to 9:00 a.m., Wednesday, September 4, 2002.

A word to the wise - MAIL EARLY - overnight mail, including Airborne Express, Federal Express, etc. does not always arrive by 9:00 a.m. the next day.

Please return your bid in the "BID" envelope provided, or use the "BID" envelope to address your bid package to assure that your bid will be properly processed.

Sincerely,

Robert A. Johnston

RHJ:1ks

encl.

copy: Engineering

file

TUSCALOOSA COUNTY

STRUCTURAL CONCRETE

CONTRACT SPECIFICATIONS AND BID FORM

FOR

Furnishing to Tuscaloosa County, structural concrete, during the period October 1, 2002 through September 30, 2003. Materials to be furnished in mixes as indicated and delivered to job sites countywide or the county bridge yard as directed. Materials to be furnished shall meet the requirements of the current edition of the Alabama Department of Transportation Standard Specifications for Highway Construction, 2002 Edition (hereinafter referred to as the "Specifications"). The supplier shall meet all requirements of the Alabama Department of Transportation Manual on Materials, Sources, and Devices with Special Acceptance Requirements. Particular attention is directed to Section 501.03 (d) 3.c. "Hot Weather Operations". It shall be the responsibility of the supplier to ensure that all temperature requirements are in accordance with the Specifications at no additional costs to the County.

The class-type and quantities are listed below:

Precast, Nonprestressed Concrete for Bridge Members. 5,000 psi Design Strength. Delivery Point: As directed by the Tuscaloosa County Engineering Department. The minimum quantity ordered shall be 2 cubic yards.

Quantity	Unit	Item	Price/Unit	Total
1500	C.Y.	Precast, Nonprestressed Concrete, F.O.B. Bridge yard	83.00	124 500.00
100	C.Y.	Precast, Nonprestressed Fiber Reinforced Concrete, F.O.B. Countywide	84.50	8,450,00
10	C.Y.	Class A-1a Concrete, F.O.B. Countywide	10.00	100.00
10	C.Y.	Class A-1c Concrete, F.O.B. Countywide	10.00	100.00
10	C.Y.	Class B-3 Concrete, F.O.B. Countywide	70.00	100.00
10	C.Y.	Class A-2a Concrete, F.O.B. Countywide	70.00	100.00

The design mix for precast, nonprestressed concrete shall be submitted to and approved by the Alabama Department of Transportation prior to batching any concrete. An approved design mix shall be on file at the Concrete Plant and the Office of the County Engineer.

West Alabama Concrete Inc Schull Signature Spr 102

Bate

9-6

210

9-6

1/3

TUSCALOOSA COUNTY

STRUCTURAL CONCRETE

CONTRACT SPECIFICATIONS AND BID FORM

FOR

Furnishing to Tuscaloosa County, structural concrete, during the period October 1, 2002 through September 30, 2003. Materials to be furnished in mixes as indicated and delivered to job sites countywide or the county bridge yard as directed. Materials to be furnished shall meet the requirements of the current edition of the Alabama Department of Transportation Standard Specifications for Highway Construction, 2002 Edition (hereinafter referred to as the "Specifications"). The supplier shall meet all requirements of the Alabama Department of Transportation Manual on Materials, Sources, and Devices with Special Acceptance Requirements. Particular attention is directed to Section 501 03 (d) 3.c. "Hot Weather Operations" It shall be the responsibility of the supplier to ensure that all temperature requirements are in accordance with the Specifications at no additional costs to the County.

The class-type and quantities are listed below:

Precast, Nonprestressed Concrete for Bridge Members. 5,000 psi Design Strength. Delivery Point: As directed by the Tuscaloosa County Engineering Department. The minimum quantity ordered shall be 2 cubic yards.

Quantity	Unit	Item	Price/Unit	Total
1500	C.Y.	Precast, Nonprestressed Concrete, F.O.B. Bridge yard	\$ 62.00	\$ 93,000.00
100	C.Y.	Precast, Nonprestressed Fiber Reinforced Concrete, F.O.B. Countywide	66.50	6,650.00
10	C.Y.	Class A-1a Concrete, F.O.B. Countywide	68.00	680.00
10	C.Y.	Class A-1c Concrete, F.O.B. Countywide	68.00	680.00
10	C.Y.	Class B-3 Concrete, F.O.B. Countywide	63.00	630.00
10	C.Y.	Class A-2a Concrete, F.O.B. Countywide	68.00	680.00

The design mix for precast, nonprestressed concrete shall be submitted to and approved by the Alabama Department of Transportation prior to batching any concrete. An approved design mix shall be on file at the Concrete Plant and the Office of the County Engineer.

Bama Concrete Products Co., Inc. Signature

Signature

08/26/02

W. Hardy McCollum Chairman

ROBERT H. JOHNSTON CLERK



MEMBERS
MIKE RICHARDSON
GARY YOUNGBLOOD
BOBBY MILLER
REGINALD MURRAY

COUNTY COMMISSION

Tuscaloosa County Alabama
P.O. Box 20113 • 714 Greensboro Avenue
Tuscaloosa, Alabama 35402-0113
205-349-3870
August 23, 2002

Tuscaloosa Gin & Warehouse Co-op Tuscaloosa Farmers Co-op Clark Mosquito Control Products Inc. Adapco, Inc. Terra International, Inc.
Magnolia Chemical
Pure Corp.
Vectec
Hill Manufacturing Co. Inc.

Gentlemen:

Tuscaloosa County will accept bids for Fyfanon, Mosquito Mist One, Punt 57-OS, Duet 8.8-OS or equal mosquito control chemical until 9:00 a.m., Wednesday, September 4, 2002.

Bids shall include any freight, or delivery charge, to the Tuscaloosa County Shop located at 2810 35th Street, Tuscaloosa, Alabama.

Direct all inquiries in regard to this bid to County Engineer Bobby Hagler at telephone number (205)345-6600 between the hours of 7:00 a.m. and 3:30 p.m.

Bids can be mailed to: Tuscaloosa County Commission, P.O. Box 20113, Tuscaloosa, AL 35402, or brought to the County Clerk's Office in the Tuscaloosa County Courthouse prior to 9:00 a.m., Wednesday, September 4, 2002.

Tuscaloosa County reserves the right to reject any or all bids and to accept the bid best suited to its needs, which takes into consideration both the lower price and specified delivery date.

To be more confident that your bid will be properly processed, please return your bid in the "BID" envelope provided, or use the "BID" envelope to address your bid package.

A word to the wise - MAIL EARLY - overnight mail, including Airborne Express, Federal Express, etc. does not always arrive by 9:00 a.m. the next day.

Sincerely,

Robert A. Johnston .

Clerk

RHJ:1ks

encl.

copy: Engineering

file

9-7

car 037 - 212

BID SHEET MOSQUITO CHEMICALS

Bid Date: September 4, 2002

Fyfanon, Mosquito Mist One, Punt 57-0S, Duet 8.8-OS, or equal Mosquito control chemical

Chemical Bid:	Mosquitomist One
Price Per Gallon:	\$ 24.95
NOTE: Bidder to be responsible for removal of em	pty containers.
5-7 Business Days After Receipt of Order	
Delivery Date	
Clarke Mosquito Control Products, Inc.	
Company Name 159 N. Garden Avenue, Roselle, IL 60172 Address	
Michael Leahy Br	
Signature August 29, 2002	
Date	
800-323-5727 800-832-9344 Telephone Number / Fax Number	